


TEST REPORT

Report No. : BJ-R230605104A-01-EN
Test Item : Drop test
Client : Shenzhen Recoda Technologies Limited
Address : 3F, Sixth Plant, Tangzhong Industrial Park, Hengnan Road, Gushu, Xixiang, Baoan District, Shenzhen City, Guangdong, China

Inspected Engineer: Liu Yuehui Date Of Approval: Jun.08,2023

Reviewed Engineer: Luo Ningsheng Date Of Approval: Jun.08,2023

Authorized Signatory: Zhang Jianbiao Date Of Approval: Jun.08,2023



Content

| | |
|----------------------------------|---|
| 1.Sample Information | 2 |
| 2.Test Results | 2 |
| 3.Drop test | 3 |
| 3.1 Laboratory Environment | 3 |
| 3.2 Test Information | 3 |
| 3.3 Test Equipment | 3 |
| 3.4 Test Standard | 3 |
| 3.5 Test Conditions | 3 |
| 3.6 Test Photos | 4 |

This report is considered invalidated without the Special Seal for Inspection of the BTT. The customer is responsible for the accuracy, authenticity and completeness of the sample(s) and information submitted by the customer, and the company assumes no responsibility for it. This report is only responsible for the result(s) of the sample(s) tested, and the result(s) only reflect the evaluation of the sample(s) tested. The result(s) in this report are used for the purpose of corporate internal product research and development, quality control, scientific research, teaching, etc. This report shall not be copied partly without the written approval of BTT. Any objections to report issued by BTT should be submitted to BTT within 30 days after the issuance of the test report.

1. Sample Information

| | |
|--------------------|---|
| Sample Name | body worn camera |
| Sample Model | M530 |
| Sample No. | BJ-R230605104A-1# |
| Sample Size | / |
| Weight Of Sample | / |
| Sample Quantity | 1 PC |
| Manufacturer | Shenzhen Recoda Technologies Limited |
| Address | 3F, Sixth Plant, Tangzhong Industrial Park, Hengnan Road, Gushu, Xixiang, Baoan District, Shenzhen City, Guangdong, China |
| Sample Source | Commissioned units send sample |
| Inspection Type | Commissioning test |
| Sample Description | Sample appearance is good |

2. Test Results

| Test Items | Test Results | | |
|------------|---|--|---|
| | Face | Edge | Corner |
| Drop test | The first time of the face drops, the battery cover and battery fall off. | The first time of the edge drops, the gap on the surface becomes larger. | The first time of the corner drops, the display screen appears blurred. |

Note: drop order: 6 faces→12 edges→8 corners

3. Drop test

3.1 Laboratory Environment

Ambient temperature: $25 \pm 3^{\circ}\text{C}$ Relative humidity: $55 \pm 20\% \text{RH}$

3.2 Test Information

| Sample No. | Received Date | Date Of Test(s) |
|-------------------|---------------|-----------------|
| BJ-R230605104A-1# | Jun.05,2023 | Jun.06,2023 |

3.3 Test Equipment

| Test Equipment | Equipment Model | Calibration Date |
|-------------------------|-----------------|------------------|
| Directional drop tester | XM-960 | Apr.13,2023 |

3.4 Test Standard

Test according to MIL-STD-810G.

3.5 Test Conditions

Drop height: 2 meters

Ground of testing: Willow eucalyptus wood


Test times: 1time/direction, total of 26 directions.

3.6 Test Photos

Before test



Test setup



After test



End of report